

No. 2/26-W/2015-16
Government of India
Archaeological Survey of India
Guwahati Circle
Office of the Superintending Archaeologist
G.N.B.Road, Ambari, Guwahati – 1

Dated,	the				٠							
			•	•	•	•		•	•			

## NOTICE INVITING OPEN TENDER

The Superintending Archaeologist, Archaeological Survey of India, Guwahati Circle, Guwahati on behalf of the President of India invites Tender in sealed cover from the Contractors approved & registered by CPWD/PWD/MES/Railways and other Govt./Semi Govt. Department with valid license including valid PAN & VAT Reg. No. (GRN) having two years experience in similar civil works with Archaeological Survey of India for execution of work as per specification. The tender document will be issued on written request upto 17.00 hrs. on 20/02/2017 and the tender document will be received up to 14.30 hours on 21/02 /2017 and the same will be opened on the same day at 15.00 hours in presence of intending tender bidders or their authorized representatives.

Name of work	Estimated cost	Date of opening	Remarks
SR (Plan) to Rock-cut Sculpture at Unakoti (2015-16)	₹ 22,92,054/-	21/02/2017	Execution of work and supply of materials as per specification

Tender documents is also available in the Departmental website www.asi.nic.in and www.asiguwahaticircle.gov.in and also on central public procurement portal www.eprocure.gov.in which may be downloaded and should be submitted duly filled along with the earnest money of ₹ 57,301/- only and cost of tender form of ₹ 500/- only (non-refundable) separately in the form of Demand Draft of any Nationalized Bank obtained in favour of the "Superintending Archaeologist, Archaeological Survey of India, Guwahati Circle, Guwahati - 1" including Contractor's Registration certificate, PAN, VAT clearance certificate, Labour Registration, work order/experience certificate of similar works etc. (after completion of electrical work testing have to be done by any licensed supervisor) failing which the tender will summarily be rejected. The EMD of unsuccessful tender bidders will be returned in due course.

The undersigned reserves the right to accept or reject any or all the tenders without assigning any reasons thereof. Any type of information regarding this tender may be obtained from this office on all working days. The contractors will have to quote the rate of all items mentioned in the tender schedule failing which the submitted tender will be rejected.

The WCT VAT, Income Tax & Labour cess at prescribed rate will be deducted from the total billed amount at source during payment.

Superintending Archaeologist

sd/-

No. 2/22-W(D)/2015-16 Lgu

Dated ..... 9 FEB 2017

Copy forwarded with the request to exhibit in the office Notice Board for wide publicity:

- 1. The Additional Director General, ASI, ND for hosting of NIT on the Central Public Procurement Portal (www.eprocure.gov.in)
- 2. The District Magistrate, Dist. Unakoti, Tripura
- 3. The Executive Engineer, PWD, Dist. Unakoti, Tripura
- 4. The Conservation Assistant, ASI, Udaipur Sub Circle.
- 5. Guwahati Circle Office Notice Board.
- 6. Website section of Guwahati Circle, Guwahati.
- 17. The Web Manager, ASI, Janpath, ND to upload in the website "www.asi.nic.in".

Superintending Archaeologist

## Price of Tender ₹ 500/-

I/we hereby tender for execution of work on behalf of the President of India as described in the under mentioned memorandum according to the specification within the times specified and the rates specified therein subject to the conditions of the contract for execution of work SR (Plan) to Rock-cut Sculpture at Unakoti (2015-16).

								5	
11(b)	11(a)	10	9	∞	7	6	5	4	(1)
Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade	Finishing walls with water proofing cement paint of required shade. New work (Two or more coats applied @ 3.84 kg./10 SqM.)	Providing and applying white cement based putty of average thickness Imm of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. out side and inside	20mm cement plaster inner and outer surface of the building in c.m. 1:4	Half Brick Masonry with common burnt clay F.P.S. (non-modular) bricks of class designation 7.5 in foundations and plinth in cement mortar 1:4 (1 cement : 4 coarse sand)	Demolishing brick work manually by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 meters lead as per direction of Engineer-in-charge in cement mortar	Demolishing R.C.C. work manually by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 meters lead as per direction of Engineer-in-charge	Centering & Shuttering including strutting propping etc. and removal of form for suspended floors, roofs, landings, balconies and access platform.	Steel reinforcement for RCC work including straightening, cutting, bending, placing in position and binding all complete.	(2)
95.00 SqM	34.00 SqM	129.00 SqM	129.00 SqM	15.00 CuM	1.36 CuM	0.33 CuM	120.00 SqM	1936.41 Kg.	(3)
Do	Do	Do	Do	Do	D <sub>0</sub>	D <sub>0</sub>	Do	Do	(4)
Do	Do	Do	Do	Do	Do	Do	Do	Do	(5)
Do	Do	Do	Do	Do	Do	Do	Do	Do	(6)
	1								(7)
Per SqM	Per SqM	Per SqM	Per SqM	Per CuM	Per CuM	Per CuM	Per SqM.	Per Kg.	(8)
							. 3		(9)
Do	Do	Do	Do	Do	Do	Do	Do	Do	(10)

		1							3	
21	20	19	18	17	16	15	14	13	12	(1)
Brick work in foundation & plinth with common brunt clay modular bricks of class designation 7.50 in foundation and plinth in cement mortar 1: 4 (1 cement : 4 coarse sand)	Centering & shuttering including strutting propping etc. and removal of form for suspended floors, roofs, landing, balconies and access platform.	Steel reinforcement for RCC work including straightening, cutting, bending, placing in position and binding all complete	Providing and laying in position specified grade of reinforced cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) excluding the cost of centering, shuttering, finishing and reinforcement.	Flat brick soiling	Providing P.C.C. (1:2:4) for base of Toilet and reception centre wall and column etc.	Earth work in excavation for construction of ticket room footing tie beam etc.	Engaging labour for shifting and proper placing of sculpture by the ordinary labour	Providing and fixing M.S. grill of required pattern in frames of windows etc. with M.S. glats, square or round bars etc including priming coat with approved steel primer all complete	Painting steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ .090 ltr/ 10 sqm over an under coat of primer applied @ 0.80 ltr/ 10 sqm of approved brand and manufacture	(2)
3.48 CuM	38.60 SqM	341.87 Kg.	4.19 CuM	11.85 SqM	1.90 CuM	9.10 CuM	60 Nos.	124.00 Kg.	46.75 SqM	(3)
Do	D <sub>0</sub>	Do	Do	Do	Do	Do	Do	Do	Do	(4)
Do	Do	Do	Do	Do	Do	Do	Do	Do	Do	(5)
Do	Do	Do	D <sub>0</sub>	Do	Do	Do	Do	D <sub>0</sub>	Do	(6)
							(5)			(7)
Per CuM	Per SqM	Per Kg.	Per CuM	Per SqM	Per CuM	Per CuM	Per No	Per Kg.	Per SqM	(8)
								1 · · · · ·	7 580	(9)
Do	Do	Do	Do	Do	Do	Do	Do	Do	Do	(10)

clay F.P.S. (non moodesignation 7.5 in for in cement mortar 1:4 sand)  24 20 mm cement pla surface of the buildin square or rectangula trusses etc. includir fixing in position and coat of approved stewelding and bolted washer etc. complete. Providing and fixing iron profile sheets (si. corrugation as approcharge) 0.50 mm+(thickness with zinc per IS:277 in 240 n microns epoxy prime sheet and polyeste microns. Sheet should be supplied ir 12 meter or as desi charge. The sheet sha drilling/ self tapping: 55 mm) with EPDM any pitch in horizonta surfaces excluding tratters and trusses and size and shape wherev	
clay F.P.S. (1 designation 7 in cement mc sand)  20 mm cem surface of the Steel work i square or rec trusses etc. fixing in posi coat of appro welding and washer etc. cc Providing and iron profile sl- corrugation a charge) 0.50 thickness wit per IS:277 in microns epox, sheet and I microns. She guard film o avoid scratch should be sup 12 meter or charge. The sl drilling/ self to 55 mm) with any pitch in h surfaces excla ratters and true size and shape	Supplying and the sand under flow ramming, concerning complete
clay F.P.S. (non modular) bricks of class designation 7.5 in foundations and plinth in cement mortar 1:4 (1 cement : 4 coarse sand)  20 mm cement plater inner and outer surface of the building in c.m. 1:4  Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc. including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and fixing precoated galvanized iron profile sheets (size shape and pitch of corrugation as approved by Engineer-incharge) 0.50 mm+0.50%, total coated thickness with zinc coating 120 gsm as per IS:277 in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches while transportation and should be supplied in single length up to 12 meter or as desired by Engineer-incharge. The sheet shall be fixed using self drilling/ self tapping screws of size (5.5 x 55 mm) with EPDM seal complete upto any pitch in horizontal/ vertical or curved surfaces excluding the cost of purling, ratters and trusses and including cutting to size and shape wherever required.	Supplying and filling in plinth with River sand under floors, including watering, ramming, consolidating and dressing complete
33.00 SqM 65.00 SqM 180.44 Kg.	0.59 CuM
D <sub>0</sub> D <sub>0</sub> D <sub>0</sub>	Do
Do Do	Do
Do Do	Do
	(7)
Per Kg.  Per Kg.	Per CuM
	(9)
Do Do •	Do

			T			_
32	31	30	29	28	7	(E
Providing and fixing ISI marked flush door shutters conforming to IS:2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 9.20.1 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately).	Finishing walls with water proofing cement paint of required shade New work (Two or more coats applied @ 3.84 kg/10 sqm) Exterior.	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade.	Providing and applying white cement based putty of average thickness 1mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	Steel sheets roofing accessories 0.50 mm+0.50%, total coated thickness, zinc coating 120 gsm as per IS:277 in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling / self tapping screws complete — Ridges plain (500-600 mm)	(4)
2.12 SqM	0.32 CuM	41.00 SqM	29.17 SqM	65.00 SqM	4.50 mtr.	(0)
Do	Do	Do	Do	Do	Do	(7)
Do	Do	Do	Do	Do	Do	(0)
Do	Do	Do	Do	Do	Do	(0)
Per SqM	Per CuM	Per SqM	Per SqM	Per SqM	Per mtr	(0)
					an Service of the ser	
Do	Do	Do	Do	Do	Do	(20)

			<u> </u>		
37 (a)	36	35	34	33	(1)
Electrical Wiring:  (a) Wiring for light/power plug with 2x4 sq.mm FR PVC insulated copper conductor single core cable in surface/recessed steel conduit alongwith 1  No. 4 sq.mm FR PVC insulated copper concuctor single core cable for loop earthing as required.	Providing and fixing plain Multipurpose Cement board (High Pressure steam cured) as per IS: 14862, with suitable screws for fibre cement board in ceiling etc. complete (frame work to be paid separately): 6 mm thick cement board. Ceiling	Painting wood work with Deluxe Multi Surface Paint of required shade. Two or more coat applied @ 0.90 ltr/10 sqm over an under coat of primer applied @0.75 ltr/10 sqm of approved brand and manufacture.	Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured).	and IIX d shutte story w AS pres of requir culding separate of Engi ters.	(2)
25 mtr	9.61 SqM	8.34 SqM	3.83 SqM	4.46 SqM	(3)
Do	Do	Do	D <sub>0</sub>	Do	(4)
Do	Do	Do	Do	Do	(5)
Do	Do	Do	Do	Do	(6)
					(7)
Per mtr	Per SqM	Per SqM	Per SqM	Per SqM	(8)
				a Bi Y Ya	(9)
Do	Do	Do	Do	Do	(10)

					*	_
		39	38	©	(6)	(E)
iii. Table fan	ii. CFL 20 watt	: Supplying, fitting and fixing of the Electrical items as per current market rates.  i. Tube Light Frame & fitting etc.	Providing and fixing 32 AMPR capacity MCB TP & N DAR Electrical code 2.1.1 DSR 2012.	c) Supply & fixing following way prewired SP & N MCB distribution boar of steel sheet for 240 volts. on surface/recess complete with loose wire box, terminal connectors for all incoming and outgoing circuits, duly prewired with suitable size FR PVC insulated copper conductor up to terminal blocks, tinned copper bus bar, neutral link, earth bar, din bar, detachable gland plate, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator).	(b) Wiring for light point/fan point/exhaust fan point/call bell point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable in surface/recessed medium class PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc. as required.	(2)
1 No.	2 Nos.	2 Nos.	1 No.	l nos.	8 points	(0)
Do	Do	Do	Do	Do	Do	(1)
Do	Do	Do	Do	Do	Do	(-)
Do	Do	Do	Do	Do	Do	(1)
						(1)
Per No.	Per No.	Per No.	Per No.	Per No.	Per	
					(A) 192 E 19	
				Do	Do	(0.0)
	Table fan 1 No. Do Do Do	CFL 20 watt 2 Nos. Do Do Do  Table fan 1 No. Do Do Do	: Supplying, fitting and fixing of the Electrical items as per current market rates. i. Tube Light Frame & fitting etc. 2 Nos.  Do	Providing and fixing 32 AMPR capacity MCB TP & N DAR Electrical code 2.1.1 1 No. Do	prewired SP & N MCB distribution boar of steel sheet for 240 volts. on surface/recess complete with loose wire box, terminal connectors for all incoming and outgoing circuits, duly prewired with suitable size FR PVC insulated copper I lnos. Do Do Do Do Do Per No. conductor up to terminal blocks, tinned copper bus har, neutral link, earth bar, din bar, detachable gland plate, interconnections, powder painted including earthing etc. as required. (But without MCBRCCB/Isolator).  Providing and fixing 32 AMPR capacity without MCBRCCB/Isolator).  Supplying, fitting and fixing of the Electrical items as per current market rates.  i. Tube Light Frame & fitting etc.  2 Nos. Do Do Do Per No.  iii. CFL 20 watt 2 Nos. Do Do Do Per No.  Per No.	(b) Wring for light point/tain point/call bell points with 1.5 sq.mm. FR PVC insulated copper conductor single core cable in surface/becessed medium class PVC conduit, with plano type switch, phenotic laminated sheet, satisfully size MS. box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc. as required.  c) Simply & fixing following way previned SP & to MCB distribution boar of steel sheet for 240 volts. on surface/breess complete with loose wire box, terminal connectors for all incoming and outgoing circuits, duly previned with suitable size FR PVC insulated copper looses, timed copper bus bur, neutral link, earth bur, din bar, detachable gland plate, interconnections, powder painted including and fixing 23 AMPR capacity without MCB/RCCE/Isolaton, Providing and fixing 32 AMPR capacity MCB/TP & N DAR Electrical code 2.1.1 I No. Do Do Do Per No.  1. Tube Light Frame & fitting etc. 2 Nos. Do Do Do Per No.  2. Nos. Do Do Do Per No.  1. Table fam 1. The providing and fixing of the factor of the control of t

	_									N. II	
43	42	41					40				(I)
Random rubble masonry with hard stone in foundation and plinth including leveling up with cement concrete 1:6:12 (1 cement: 6 coarse sand: 12 graded stone aggregate 20 mm nominal size) upto plinth level with Cement mortar 1:6 (1 cement: 6 coarse sand).	Providing P.C.C. (1:2:4) for base of guide wall DSR 2012, Code No.4.1.3. Page No.85.	Earth work in rough excavation, banking excavated earth in layers not exceeding 20 cm in depth, breaking clods, watering, rolling each layer with ½ tonne roller or wooden or steel rammers, and rolling every 3rd and top-most layer with power roller of minimum 8 tonnes and dressing up in embankments for roads, flood banks, marginal banks and guide banks or filling up ground depressions, lead upto 50 m and lift upto 1.5 m :Excavation for guide wall.	Plastic Table	Plastic Chai (with arm)	Godrej almirah	Godrej chair	Furniture of Ticket room.  Godrej table	viii. <u>Platinum cone Plate</u> 5 Module platinum cone plate	vii. Flush Metal Box 5 Module G.I. Metal Box (Heavels)	VI. Bracket Holder	
18.00 CuM	11.50 CuM	22.00 CuM	1 No.	6 Nos.	1 No	2 Nos.	2 Nos.	2 Nos.	2 Nos.	3 Nos.	(3)
D <sub>o</sub>	Do	Do	Do	Do	Do	Do	D <sub>0</sub>	Do	Do	Do	(4)
Do	Do	Do	Do	Do	Do	Do	Do	Do	Do	Do	(5)
Do	Do	Do	Do	Do	Do	Do	Do	Do	Do	Do	(6)
											(7)
Per CuM	Per CuM	Per CuM	Per No.	Per No.	Per No.	Per No.	Per No.	Per No.	Per No.	Per No.	(8)
								(a)	1 8		(9)
Do	Do	Do									(10)

50	49	48	47	46	45	44	(I)
Centering and shuttering including strutting, propping etc. and removal of form for Columns, Pillars, Piers, Abutments Poets and Struts	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Mild steel and Medium Tensile steel bars.	Providing and laying in position specified grade of reinforced cement concrete 1:2:4 (1 cement:2 coarse sand: 4 graded stone aggregate 20 mm nominal size) excluding the cost of centering, shuttering, finishing and reinforcement).	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.	Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer.	Providing fixing of tactile centre of the approach pathway jointed with neat cement slurry including rubbing and cleaning etc. on 20 mm thick bed of cement mortar 1:4.	Chequired pre-cost C. C like 22 mm thick in footpath and courtyard jointed with neat cement slurry mixed with pigment to match the shade of tiles I/C rubbing and cleaning etc. complete on 20 mm thick bed of mortar 1:4.	(2)
73.15 SqM	565.00kg	4.00 CuM	0.69 CuM	648.32 Kg.	24.00 SqM	96.00 SqM	(3)
Do	Do	Do	Do	Do	Do	Do	(4)
Do	Do	Do	Do	До	Do	Do	(3)
Do	Do	Do	Do	Do	Do	Do	(0)
							(1)
Per SqM	Per Kg.	Per CuM	Per CuM	Per Kg.	Per SqM	Per SqM	(0)
					a. B	* 7.5	
Do	Do	Do	Do	Do	Do	Do	(20)

58	57	56	55	54	53	52	51	(I)
Writing of signage board.	Granite for signage board (1.50x1.20) m	20mm cement plaster inner and outer surface of the building in c.m. 1:4	Brick work in foundation & plinth with common brunt clay modular bricks of class designation 7.50 in foundation and plinth in cement mortar 1:4 (1 Cement 4 Sand)	Earth work in excavation for construction of signage board.	Painting Steel work with Deluxe Multi Surface Paint to give an even shade. T wo or more coat applied@0.90 ltr/ 10 sqm over an under coat of primer applied @0.80 ltr/ 10 sqm of approved brand and manufacture.	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.	Random rubble masonry with hard stone in foundation and plinth including leveling up with cement concrete 1:6:12 (1 cement: 6 coarse sand: 12 graded stone aggregate 20 mm nominal size) upto plinth level with Cement mortar 1:6 (1 cement: 6 coarse sand).	(2)
1146 latter	1.80 SqM	8.10 SqM	1.56 CuM	0.17 CuM	74.76 SqM	2327.05 Kg.	12.25 CuM	(3)
Do	Do	Do	Do	Do	Do	Do	Do	(4)
Do	Do	Do	Do	Do	D <sub>0</sub>	Do	Do	(5)
Do	Do	Do	Do	Do	Do	Do	Do	(6)
5								(7)
Per Latter	Per SqM	Per SqM	Per CuM	Per CuM	Per SqM	Per Kg.	Per CuM	(8)
						× 18	* > <sub>2</sub>	(9)
Do	Do	D <sub>0</sub>	Do	Do	Do	Do	Do	(10)

NB: Quoting of Rates & Total cost in Col. No. 7 & 9 for all item is mandatory.

-	(I)		
	(1/u)Cc3	מחקקמווי	
		The state of the s	
	A		
	0.0000000000000000000000000000000000000		
	000000000000000000000000000000000000000		
	1		,

7
-
property.
· ·
2015
0
~
$\subseteq$
50
$\supset$
=
1
4
0
$\subseteq$
$\leq$
$\approx$
$\subseteq$
-
P 1
vork and r
$\Box$
d
$\Rightarrow$
2
==
0
-
52.
1
S
materials may
3
03
5
9
0
-
-
5
-
0
20
S
0
d
_
0
O
G
$\Xi$
60
25
6
e increased/decreased
-
2
d at site
S
=:
6

Contractor's signature with seal

*	Give	particul	ars	&	num	ber.

Signature

Full Address with PIN:

Signature of witness to signature of tenderer.

Full Address

Dated

The

2017

The above tender is hereby accepted by me on behalf of the President of India.

Dated

The

2017

Signature of the officer by whom the tender is accepted



## **TERMS & CONDITIONS**

- 1. The works/supply shall be carried out by the Contractor/Firm strictly and in accordance with the ASI, Guwahati Circle's specifications and as per direction of Engineer-in-charge.
- 2. The rates given for the works should be inclusive of all taxes, leads and lifts, etc. Nothing extra shall be paid over the rates quoted by the contractor/firm.
- 3. Rate should be quoted as analogous to PWD SR or CPWD DRS. As per CPWD manual and Archaeological Works Code the rate in excess of 5% with reference to overall estimate and 10% with reference to individual item are not acceptable.
- 4. In case the material is not as per specification, the same shall be replaced by the contractor/firm with own cost. The department shall not be responsible for any theft or loss.
- 5. No payment shall be made to the contractor/firm if the materials are damaged due to natural calamities before measurement.
- 6. The tender must accompany the Earnest Money as stated in the tender form only and cost of tender form of ₹500/- only in the form of Bank Demand Draft/Pay Order of any Nationalized Bank in favour of Superintending Archaeologist, Archaeological Survey of India, Guwahati Circle, Guwahati -1 payable at Guwahati.
- 7. It shall be the responsibility of the contractor/firm to ensure that no damage is caused to Govt. property at the site by his/their vehicle or labour party. Cost of such damages, if any, will be assessed at the discretion of the Superintending Archaeologist, Archaeological Survey of India, Guwahati Circle and the same will have to be made good by the contractor/firm with own cost.
- 8. The tender submitted on behalf of a firm shall be signed by all the partners of the firm or by a partner who is duly authorized on behalf of the firm to enter into contract. Otherwise the tender is liable to be rejected.
- 9. The firm/contractor must ensure the fulfillment of time line given by the office in the supply order/work order failing which the firm/contractor shall be debarred from further tender process in this office and the security deposit/earnest money shall be forfeited. The action pertaining to black listing the firm/contractor may also take place.
- 10. All gold, silver, oil and other materials or any antiques and other similar things, which may be found, in or upon the site shall be the property of the Archaeological Survey of India. Contractor/firm shall deliver the same to such persons as the Department may from time to time appoint to receive the same.

G.N.B. Road

Ambari

- 11. Error/omission if any, shall be rectifiable with no claim.
- 12. No claim whatsoever on account of fluctuations in prices will be entertained.
- 13. If any litigation arises through labour court or labour commissioner & other court, etc. on account of litigation through labourers engaged by him, the contractor will be fully responsible. Moreover, if claim arises out of any litigation, the contractor will be responsible for payment of such claim.
- 14. The contractor/firm shall not be entitled to any compensation --whatsoever on account of any delay or default in the supply of materials mentioned in the schedule.
- 15. The Earnest money and security deposit of the successful contractor/firm will be forfeited, if he fails to comply with any of the conditions of the contract and work shall be carried out at risk and cost of the contractor/firm.
- 16. Overall rates shall be considered for approval of tender.

- 17. Any material left on the site of work after one month from the date of completion of the work, shall become the property of the Govt. and not payment shall be made for it.
- 18. If more than one tenderer quoting the same rates are received, it will be the discretion of undersigned calling one tenderer to award the work to whom he finds suitable to do the job and his decision will be final and binding on the tenderer.
- 19. Work order/Supply order will be issued after receiving of security deposit.
- 20. The competent authority reserves the full right to accept or reject any of all the tenders without assigning any reason.
- 21. The President of India does not bind himself to accept the lowest or any tender and reserves to himself the right of accepting the whole or any part of the tender and tenderer shall be bound to perform the same at the rates quoted.
- 22. Sales tax or any other or material in respect of this contracts shall be payable by the contractor and Government will not entertain any claim whatsoever in this respect.
- 23. The contractor must produce Income Tax clearances certificate and Permanent A/C Number (PAN) before the tender can be sold to him.
- 24. The Contractor shall not be permitted to tender for works in the ASI circle (responsible for award and execution of the contracts) in which his near relative is posted as an officer in any capacity between the grades of Superintending Engineer and Assistant (both inclusive). He shall also intimate the names of persons who are working with him in capacity or are subsequently employed by him and who are near relatives to any Gazetted officer in ASI or in the Ministry of Tourism and Culture by the contractor should render him liable to be removed from the approved list of contractors of this Department.
- 25. The contractors shall give a list of Non-Gazetted employees related to him.
- 26. No Engineer of Gazetted rank or other Gazetted officer employed in the Engineering of Administrative duties in an Engineering of the Government of India is aforesaid before submission of the tender of engagement in the contractor's service.

27. Any legal matter related to tender will be settled in Guwahati High Court.

Contractor's Signature with Seal

Superintending Archaeologist Archaeological Survey of India Guwahatiव्यास्टीस्टीक्ट्रिक्सिक्वhati - 1 Superintending Archaeologist भारतीय पुरातत्त्व सर्वेक्षण Archaeological Survey of India

> गुवाहाटी मण्डल, गुवाहाटी-०१ Guwahati Circle, Guwahati-01